Pressure Treated Steps

These sturdy pine-treaded steps, attached to a super-strong, cross-braced metal frame, offer attractive access to any mobile home at an economical price. Step tread on the 29" wide step is 9-1/2" wide. On the 36" wide step, the tread is 11-1/2" wide.

Two Step



0350901 18" H; 12/Ctn. **0350902** Hand Rail; 5/Ctn.

Three Step



 26" H x 29" W; 12/Ctn. Rail for **0351001**; 5/Ctn. 26" H x 36" W Rail for **0351005**

Steps with Half Platform & Rail



Two steps with the third step being a 19" x 29" half platform with rail for safety.

0351050 10/Ctn.

Three steps with the fourth step being a 19" x 29" half platform with rail for safety.

0351052 10/Ctn.

Platform and rail attaches easily to steps for an attractive addition.

0351056 19" D x 29" W for 4-Step 0351057 24" D x 36" W for 3-Step 0351058 24" D x 36" W for 4-Step 0351055 19" D x 29" W for 3-Step


Four Step



0351101 34" H x 29" W **0351004** Rail for 29" 4 Step; 5/Ctn. **0351007** 34" H x 36" W; 12/Ctn.* **0351008** Rail for 36" 4 Step

*The 36" wide not available at all locations.

Half Platform & Rail Kit



(Shown with three step: NOT included)

BLACK POWDER COATED ALUMINUM RAILS





- Wrought-iron look at an affordable price.
- Give your customers more options.
- Available in BOCA rails only.



The beauty of wrought-iron at an affordable price.

Standard Step Sizes (Enclosed Back)		For use with these Black Powder rails:		
Sand Steps	White Steps	Description H = Height; D = Depth; W = Width	Powder Coat BOCA (black) Side Rail	Powder Coat BOCA (black) Back Rail
0352291	0351291	2-Step 16"H x 38"D x 38"W	0351087	0351069
0352053	0350053	3-Step 24"H x 38"D x 38"W	0351067	0351069
0352052	0350052	4-Step 28"H x 38"D x 38"W	0351085	0351069
0352057	0350057	4-Step 32"H x 38"D x 48"W	0351086	0351154
0352061	0350061	5-Step 36"H x 38"D x 48"W	0351161	0351154
	0350062	5-Step 40"H x 38"D x 48"W	0351163	0351154
		Economy Step Sizes		
0352333	0351333	3-Step 24"H x 20"D x 34"W		
0352318	0351318	4-Step 28"H x 20"D x 34"W		
0352321	0351321	4-Step 32"H x 20"D x 34"W	0351160	

H = Height of Step

D = Depth of Top Landing

W = Width of Step

BOCA Rail = Meets BOCA Code



- Steps constructed of heavy-duty treated plywood and 2 x 4's designed to last decades even under heavy water contact.
- Deep-penetrating treatment protects all exterior and interior wood against rotting, warping and other decay.
- Grooved nails give superior strength in key bracing areas.
- Fiberglass and resin exterior coating provides strength and durability.
- White or sand exterior with special "Black Buckshot" finish for added visual appeal.
- Slip-resistant texture on all treads and landings for additional safety.



Standard Step Sizes (Enclosed Back)							
Sand	White		Description Height; D = Depth; W = Width	Side Rail	BOCA Side Rail	Standard Back Rail	BOCA Back Rail
Steps 0352291	Steps 0351291	2-Step	15.5"H x 38"D x 38"W	0351292	0350087	0351357	0350069
0352251	0351291	3-Step	23.25"H x 24"D x 38"W	0351292	0350067	0351357	0350069
		<u> </u>					
0352053	0350053	3-Step	23.25"H x 38"D x 38"W	0351342	0350067	0351357	0350069
227227	0350055	3-Step	23.25"H x 38"D x 48"W	0351342	0350067	0351354	0350154
0352056	0350056	4-Step	28"H x 24"D x 38"W	0350078	0350158	0351357	0350069
0352052	0350052	4-Step	27.5"H x 38"D x 38"W	0350075	0350085	0351357	0350069
0352063	0350063	4-Step	27.5"H x 38"D x 48"W	0350075	0350085	0351354	0350154
0352058	0350058	4-Step	32"H x 24"D x 38"W	0351366	0350159	0351357	0350069
0352059	0350059	4-Step	31"H x 38"D x 38"W	0351365	0350086	0351357	0350069
0352057	0350057	4-Step	31"H x 38"D x 48"W	0351365	0350086	0351354	0350154
0352180	0350180	5-Step	36"H x 38"D x 38"W	0350190	0350161	0351357	0350069
0352061	0350061	5-Step	35"H x 38"D x 48"W	0350190	0350161	0351354	0350154
0352050	0350050	5-Step	40"H x 24"D x 38"W	0351367	0350162	0351357	0350069
0352051	0350051	5-Step	38.75"H x 38"D x 38"W	0351368	0350163	0351357	0350069
	0350062	5-Step	38.75"H x 38"D x 48"W	0351368	0350163	0351354	0350154
0352047	0350047	6-Step	46.5"H x 38"D x 38"W		0350168	0351357	0350069
	0350046	6-Step	46.5"H x 38"D x 48"W		0350168	0351354	0350154
			Economy Step	Sizes			
0352290	0351290	2-Step	15.5"H x 38"D x 38"W	0351292	0350087	0351357	0350069
0352333	0351333	3-Step	24"H x 20"D x 34"W	0351369	0350150		
0352318	0351318	4-Step	28"H x 20"D x 34"W	0351370	0350090	0351360	
0352303	0351303	4-Step	28"H x 24"D x 38"W	0350078	0350158	0351357	0350069
	0351300	4-Step	27.5"H x 38"D x 38"W	0350075	0350085	0351357	0350069
0352321	0351321	4-Step	32"H x 20"D x 34"W	0351351	0350152	0351360	
0352312	0351312	4-Step	32"H x 24"D x 38"W	0351366	0350159	0351357	0350069
0352315	0351315	4-Step	31"H x 38"D x 38"W	0351365	0350086	0351357	0350069
0352327	0351327	4-Step	31"H x 38"D x 48"W	0351365	0350086	0351354	0350154
	0351328	4-Step	35"H x 24"D x 34"W	0351352	0350084		
0351326		5-Step	36"H x 24"D x 38"W	0350165		0351357	
0352325	0351325	5-Step	35"H x 38"D x 48"W	0350190	0350161	0351354	0350154
0352339	0351339	5-Step	40"H x 24"D x 38"W	0351367	0350162	0351357	0350069
0352324	0351324	5-Step	38.75"H x 38"D x 38"W	0351368	0350163	0351357	0350069
0352340	0351340	5-Step	38.75"H x 38"D x 48"W	0351368	0350163	0351354	0350154
H = Height of St	en D = Denth	of Top Landi	ing W = Width of Step BOCA	Pail = Meets BOO	CA Codo		•



The perfect stair system for all installations old or new. Not only are they built rugged but the textured brick finish will enhance any home or business entrance for years. R-Co Steps are constructed of heavy gauge steel, then coated with R-CO Products' original SpaceGuard coating.

SpaceGuard is noted for its weather resistance and nonskid qualities. It has been used extensively in the precast concrete industry as a surface sealant and slip-resistant agent. R-Co Steps design features make them adaptable to virtually any entrance configuration desired.

R-Co Steps are packaged in one tread units, including predrilled tread components with hardware and instructions. All tread and deck units are engineered to mate perfectly for beautiful and long lasting installation.

Treads: 20 gauge steel treads with a non-slip SpaceGuard coating, 10 1/2" deep by 47" wide. Spot welded "Hat" channels provide the rigidity of solid concrete.

Risers: Heavy steel constructed risers are 7" high and coated with SpaceGuard in a brick, stone and stucco pattern. Pre-drilled for easy assembly.

Side Panels: Heavy steel side panels with SpaceGuard coating in a stone and stucco pattern. Pre-drilled. Also used as side panels for deck platforms.

Stabilizer/Back Enclosures: Heavy gauge steel panels with SpaceGuard coating. Used to enclose step back opening when desired entrance is on the side.





See matching skirting on page A-9

STEPS STEPS				
R-Co Steps:				
0350350	4 Step Brown Brick			
0350351	5 Step Brown Brid			
0350355	4 Step Gray Ston			
0350356	5 Step Gray Stor			
0350360	4 Step Stucco			
0350361	5 Step	Stucco		
R-Co 10" Platforms:				
0350330	4 Step	Brown Brick		
0350331	5 Step	Brown Brick		
0350332	4 Step Gray Stone			
0350333	5 Step Gray Stone			
0350334	4 Step Stucco			
0350335	5 Step Stucco			
R-Co Stab	ilizer/Back En	closures:		
0350325	No Finish			
0350326	Gray Stone			
0350327	Brown Brick			
0350328	Stucco			

Appliances

KEYSTUNE EXTERIOR DESIGNS

WHY KEYSTONE
DECKS ARE BETTER
THAN SITE-BUILT
DECKS:

Better value

Meets national
building standards

Factory-built to exacting standards and quality controls

Grows with homeowner's needs

Free-standing design


New Generation treated wood

Immediately available from your parts distributor

Financing available

Limited lifetime warranty

No nails, no screws, NO SWEAT!



ECKIN

Custom Styling with Production Economy

You've grown accustomed to the predictable style and fine quality of Keystone Decks and our new design makes ordering and installation even simpler.

Keystone Decks are still portable and the stairways repositionable. The decks are still expandable. Start out small and upsize at a later date. Keystone Decks are still codecompliant, so assemble them with confidence.

New Design adds Strength and Simplicity

Keystone's new Deckit approach includes sub-post support every four feet. The load carrying capacity is increased to accommodate most spas, and floor rigidity is noticeably increased. 8' sections are still available by special order.

- Minimal tools required
- Customizable design
- Flexible sizing
- Meets International **Residential Code** Requirements
- KDAT lumber treated with MCA wood preservative
- Quick & easy assembly
- Multiple stairway options
- Expandable
- Portable





Ideal for an attractive front entry. The stairway is able to mount in 4 different positions.

(2) Stairway Kits (See P.33)

Where space is limited or economy is needed, this unit

can grow as your needs

(1) Stairway Kit (See P.33)

Mount the Stairway on any side.

(1) Kit A (#0205150)

For Jack & Jill, order

Order

change. Order

- (1) Kit A (#0205150)
- (1) Kit B (#0205151)
- (1) Stairway Kit

Mount the Stairway on any side.

For Jack & Jill, order (2) Stairway Kits (See P.33)



Basic 4 x 8 Deck



Basic 4 x 12 Deck

Popular for slider door entries or for a more dramatic front entrance.

Order

- (1) Kit A (#0205150)
- (2) Kit B (#0205151)
- (1) Stairway Kit (See P.33)



This popular deck is a great starter, has plenty of room for entertaining and it's expandable.

Order

- (1) Kit A (#0205150)
- (1) Kit B (#0205151)
- (1) Kit C (#0205152)
- (1) Kit D (#0205153)
- (1) Stairway Kit (See P.32)

This deck provides plenty of space for a picnic table and is



perfect for entertaining.

Order

- (1) Kit A (#0205150)
- (2) Kit B (#0205151)
- (1) Kit C (#0205152)
- (2) Kit D (#0205153)
- (1) Stairway Kit

EXTERIOR DESIGNS

A-32

Appliances

Plumbing

KEYST NE

Each Keystone kit is carefully packaged at the factory for efficient transportation and storage. Please note that the New Keystone Deckit is supplied with support posts suitable for a five tread deck (45" height). Support posts may require cutting to length at the job site.

ORDERING INSTRUCTIONS

- 1. Determine the size of your deck (multiples of 4' per side).
- 2. Use the diagram to the right to determine the kits you need to build the desired size deck.
- 3. Determine the height of your deck for step kit.

(Note: If more than one Stairway kit is ordered, you will have a surplus 4' rail section for each additional Stairway kit.)

Examples:

Kit A and Kit E makes a 4' x 4' with 2 steps

OI

if you need a 4' x 8' with 3 steps choose: Kit A & Kit B and Kit F makes a 4' x 8' with 3 steps

KEYST NE Deckit Floor Plans Deckits 4′▶ 8'▶ 12'▶ 16'▶ etc.▶ В В В D D D D D D **Stairways** H

Deck Kits		
Stock #	Kit	Description
0205150	Α	Normal 4x4 Starter Kit (One required with each deck)
0205151	В	Normal 4x4 Sideways Expand (Expands along house)
0205152	С	Normal 4x4 Projection Expand (Projects from starter kit)
0205153	D	Normal 4x4 Fill-In Kit (Completes rectangular deck)
Stairway Ki	ts	
0205154	E	2-Tread Stairway Kit (For 22.5" deck height)
0205155	F	3-Tread Stairway Kit (For 30" deck height)
0205156	G	4-Tread Stairway Kit (For 37.5" deck height)
0205157	Н	5-Tread Stairway Kit (For 45" deck height)
0205160		Stairway Modification Stairtreads

"Ask About Our Decks" Banner

2' x 4' white vinyl sign with grommets and ropes for attaching to decks or homes on the lot. Red lettering.



0265730 Banner